



ELTEH
● ● ● engineering



SINCE 2014

COLORFUL NIGHT KAMERE 5Mpix


FOTOGRAFIJA	OZNAKA	MATERIJAL, VOODOOTPORNOST, DIMENZIJE	OPTIKA, IR DALJINA, AoC	SPECIFIKACIJE	VP CENA SA PDV-om
	EL-AN052491 5Mpix Colorful	Plastika IP65 Dimenzije: 83.9mm x 68.8mm	3.6mm 25m Nema AoC	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT,DWDR,DNR, UTC,AHD: 5M@20fps, 4M@30fps, 2M@30fps;	25€
	EL-AN052492 5Mpix Colorful	Metal + Plastika IP66 Dimenzije: 107mm x 88.3mm	2.8mm 25m Nema AoC	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	30€
	EL-AN152496 5Mpix Colorful	Plastika IP66 Dimenzije: 174mm x 68mm x 70mm	2.8mm 25m Nema AoC	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	35€
	EL-AN152497 5Mpix Colorful	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm 25m Nema AoC	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@ 20fps, 4M@30fps, 2M@30fps;	45€
	EL-AN052452 5Mpix Colorful	Metal + Plastika IP66 Dimenzije:107mm x 88.3mm	2.8mm 25m Ima AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps	55€
	EL-AN052453 5Mpix Colorful	Metal IP67 Dimenzije:109mm x 93mm	2.8mm 25m Ima AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	60€
	EL-AN052454 5Mpix Colorful	Metal IP67 Dimenzije:96mm x 91mm	2.8mm 25m Ima AoC	1/3" CMOS sensor, 2M(Default) /5M Output, AHD/TVI: 5M@20fps/12.5fps, 4M@30fps25fps,15fps 2M@30fps/25fps; CVI: 4M@30fps, 2M@30fps/25fps	60€
	EL-AN152458 5Mpix Colorful	Metal + Plastika IP66 Dimenzije:176.6mm x 67mm x 70mm	2.8mm 25m Ima AoC	1/3" CMOS sensor, 2M(Default) /5M Output, AHD/TVI: 5M@20fps/12.5fps, 4M@30fps25fps,15fps 2M@30fps/25fps; CVI: 4M@30fps, 2M@30fps/25fps	60€

	EL-AN152459 5Mpix Colorful	Metal IP67 Dimenzije: 169mm x 67.5mm x 70mm	2.8mm 25m Ima AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	60€
	EL-AN152457 5Mpix Colorful	Metal IP67 Size: 268mm x 95mm x 88mm	3.6mm 40m Ima AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	90€
COLORFUL NIGHT KAMERE 8Mpix					
	EL-AN085452 8Mpix Colorful	Metal + Plastika IP66 Dimenzije:107mm x 88.3mm	2.8mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, With IR-CUT,2DNR, UTC. TVI: 8M@15fps, 5M@20fps, 4m/2M@30fps;	70€
	EL-AN085454 8Mpix Colorful	Metal IP67 Dimenzije:96mm x 91mm	2.8mm 25m Ima AoC	1/3" CMOS sensor, AHD/TVI/CVI: 8M@15fps/12.5fps, 4M/2M@30fps/25fps CVI:4M@30fps, 2M@30fps/25fps	70€
	EL-AN185456 8Mpix Colorful	Metal + Plastika IP66 Dimenzije:176.6mm x 67mm x 70mm	3.6mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps,5M@20fps/12.5fps, 4M@30fps/25fps, 2M@30fps/25fps;CVI: 4M@30fps, 2M@30fps/25fps	70€
	EL-AN185459 8Mpix Colorful	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, With IR-CUT,2DNR, UTC. TVI: 8M@15fps, 5M@20fps, 4m/2M@30fps;	70€
	EL-AN185457 8Mpix Colorful	Metal IP67 Dimenzije:268mm x 95mm x 88mm	3.6mm 40m Ima AoC	1/ 2.5" CMOS sensor 5M (Default) /4K Output, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps,5M@20fps/12.5f s, 4M@30fps/25fps, 2M@30fps/25fps;CVI: 4M@30fps, 2M@30fps/25fps	99€

	EL-AN220401 2.1Mpix Pinhole model	Metal IP67 Dimenzije: 27mm x 25mm	3.6mm / Nema AoC	AHD ;TVI;CVI;CVBS kamera 4 u 1; 1/2.7" 2.1 Mpix sa mehaničkim IR filterom; Low Illumination; DWDR; 3D NR; Sense-up; UTC; OSD; metalno kuciste; 3.6mm/F2.0 fiksni objektiv; Vidni ugao 80°.Pinhole lens-idealno za skrivanje kamere.	60€
	EL-AN031402 3.1Mpix	Metal IP67 Dimenzije: 94.5mm x 76mm	3.6mm 20m Nema AoC	AHD: 1/ 2.7" 3.1Mpix sa mehaničkim IR filterom, Low Illumination, DWDR; DNR, UTC, OSD, antivandal metalno kućište, hidroizolovano, 3.6mm/G2.0 fiksni objektiv.	45€
	EL-AN052411 5Mpix	Plastika Dimenzije: 99mm x 81mm	3.6mm 20m Nema AoC	1/3" CMOS sensor 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	40€
	EL-AN050411 5Mpix	Plastika IP65 Dimenzije: 99mm x 81mm	3.6mm 20m Nema AoC	1/ 2.7" CMOS sensor 2M/5M Output, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	45€
	EL-AN052401 5Mpix	Metal + Plastika IP66 Dimenzije: 107mm x 88.3mm	3.6mm 25m Nema AoC	1/3" CMOS sensor 2M (Default) /5M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	45€
	EL-AN052402 5Mpix	Metal IP67 Dimenzije: 94.5mm x 76mm	3.6mm 25m Nema AoC	1/2.7" CMOS sensor, 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	45€
	EL-AN052434 5Mpix	Metal IP67 Dimenzije: 109mm x 93mm	2.8mm 25m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, AoC, With IRCUT, DWDR, DNR, UTC, OSD. DWDR, AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	60€
	EL-AN152486 5Mpix	Plastika IP66 Dimenzije: 174mm x 68mm x 70mm	2.8mm 25m Nema AoC	1/3" CMOS sensor 5M (Default) /2M Output, With IR-CUT, DWDR, DNR, UTC, AHD: 5M@20fps, 4M@30fps, 2M@30fps;	35€

	EL-AN152414 5Mpix	Plastika IP67 Dimenzije:157mm x 70mm x 66mm	3.6mm 20m Nema AoC	1/2.7" CMOS sensor, 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD.AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	40€
	EL-AN152416 5Mpix	Metal + Plastika IP66 Dimenzije:176.6mm x 67mm x 70mm	3.6mm 25m Nema AoC	1/2.7" CMOS sensor, 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD.AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	45€
	EL-AN152436 5Mpix	Metal IP67 Dimenzije:169mm x 67.5mm x 70mm	2.8mm 25m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, AoC, With IRCUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	60€
	EL-AN152437 5Mpix	Metal IP67 Dimenzije:170mm x 70mm x 80mm	3.6mm 20m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, AoC, With IRCUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	60€
	EL-AN131424 3.1Mpix	Plastika IP66 Dimenzije:220mm x 105mm x 109mm	2.8mm 30m Nema AoC	AHD kamera ;1/2.7" 3.1 Megapixel ;Low Illumination, DWDR, DNR, UTC, OSD,IR CUT; hidroizolovano plasticno kuciste, fiksni objektiv	60€
	EL-AN152427 5Mpix	Metal IP67 Dimenzije:268mm x 95mm x 88mm	6mm 60m Nema AoC	1/3" CMOS sensor, 2M (Default) /5M Output, With IR CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	75€
	EL-AN152447 5Mpix	Metal IP67 Dimenzije:268mm x 95mm x 88mm	3.6mm 40m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, With IR CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	85€
	EL-AN052806 5Mpix	Metal IP67 Dimenzije:119mm x 95mm	Varifokalna 2.8mm do 12mm 30m Ima AoC	1/3" CMOS sensor, 2M (Default) /5M Output, With IR CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	75€
	EL-AN124813 2,1Mpix SONY	Metal IP66 Dimenzije:291mm x 90mm x 93mm	Varifokalna 2.8mm do 12mm 60m Nema AoC	AHD ,TVI,CVI,CVBS kamera 4 u 1;1/2.9", SONY 2.1 Mpix sa mehanickim IR filterom,Low Illumination, DWDR, 3D NR,Defog, Sense-up, UTC, OSD;Vidni ugao 33°~105°;	85€

	EL-AN131814 3.1Mpix	Metal IP66 Dimenzije: 291mm x 90mm x 93mm	Varifokalna 2.8mm do 12mm 60m Nema AoC	AHD kamera 1/2.9", 3.1 Mpix sa mehanickim IR filterom, Low Illumination, DWDR, DNR, UTC, OSD, IP66 metalno kuciste; 2.8~12mm varifokalni objektiv; Vidni ugao 33°~105°; IR LED: 42μ x 4PCS	75€
	EL-AN131816 3.1Mpix	Metal IP66 Dimenzije: 346mm x 104mm x 108mm	Varifokalna 2.8mm do 12mm 60m Nema AoC	AHD kamera ;1/2.9", 3.1 Mpix sa mehanickim IR filterom, Low Illumination, DWDR, DNR, UTC, OSD; IP66 metalno kuciste; 2.8~12mm varifokalni objektiv; Vidni ugao 33°~105°; IR LED: 42μ x 4PCS dometa 60m	75€
	EL-AN152820 5Mpix	Metal IP67 Dimenzije: 211mm x 92mm x 90mm	2.8mm do 12mm Varifokalna 40m Nema AoC	1/2.7" CMOS sensor, 2M/5M Lite, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	80€
IC KAMERE 8Mpix					
	EL-AN085401 8Mpix	Metal + Plastika IP66 Dimenzije: 107mm x 88.3mm	3.6mm 25m Nema AoC	1/ 2.5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI: 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN085402 8Mpix	Metal IP67 Dimenzije: 94.5mm x 76mm	3.6mm 25m Nema AoC	1/ 2.5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI: 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN085431 8Mpix	Metal + Plastika IP66 Dimenzije: 107mm x 88.3mm	3.6mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI: 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN085434 8Mpix	Metal IP67 Dimenzije: 94.5mm x 76mm	2.8mm 25m Ima AoC	1/ 2.5" CMOS sensor 5M(Default)/4K Output, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps, 4M/2M@30fps; CVI: 8M@15fps, 4M/2M@30fps	65€
	EL-AN185414 8Mpix	Plastika IP66 Dimenzije: 157mm x 70mm x 66mm	3.6mm 20m Nema AoC	1/2.7" CMOS sensor, 5M/4k Lite, With IR-CUT, DWDR, DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M@30fps, 2M@30fps; CVI: 4M@30fps, 2M@30fps	40€

	EL-AN185416 8Mpix	Metal + Plastika IP66 Dimenzije: 176.6mm x 67mm x 70mm	3.6mm 30m Nema AoC	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI:; 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN185417 8Mpix	Metal IP67 Dimenzije: 170mm x 70mm x 80mm	3.6mm 20m Nema AoC	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI:; 8M@15fps/12fps, 4M/2M@30fps/25fps	60€
	EL-AN185426 8Mpix	Metal IP67 Dimenzije: 260mm x 90mm x 90mm	3.6mm 40m Nema AoC	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI:; 8M@15fps/12fps, 4M/2M@30fps/25fps	80€
	EL-AN085806 8Mpix	Metal IP67 Dimenzije: 119mm x 98mm	2.8mm do 12mm Varifokalna 30m Ima AoC	1/ 2,5" CMOS sensor 5M(Default)/4K Output, With IR-CUT, DWDR, 2DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps, 4M/2M@30fps; CVI: , 8M@15fps, 4M/2M@30fps	85€
	EL-AN185820 8Mpix	Metal IP67 Dimenzije: 211mm x 92mm x 90mm	2.8mm do 12mm Varifokalna 40m Nema AoC	1/ 2,5" CMOS sensor 5M/4K Lite, With IR-CUT, DWDR, 3DNR, UTC, OSD. AHD/TVI: 8M@15fps, 5M@20fps/12.5fps, 4M/2M@30fps/25fps; CVI:; 8M@15fps/12fps, 4M/2M@30fps/25fps	85€

XVR SNIMAČI 5u1

FOTOGRAFIJA I OZNAKA	PROTOK	SNIMA U	OPIS	VP CENA SA PDV-om
 EL-245041 5Mpix 4CH/IP9CH + Ton	48Mbps	5M-N/@8fps 2M-N/@18fps	5 u 1 XVR snimac 4 kanala za AHD,TVI,CVI,CVBS i IP kamere, Prikazuje sve rezolucije do 5 Mpix Snimanje 5M-N/@8fps/4M-N/@15fps/3M-N/@18fps/2M- N/@18fps; IPC Only:9CH;Default 2CH,Max 5Mpix ; 1 audio ulaz, 1 audio izlaz ; kompresija H265/H264; video izlazi : HDMI , VGA; 1 x SATA HDD do 8 TB, metalno kuciste. Bandwidth:48Mbps; Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID);AI menagement/Face comparison:1CH	70€
 EL-275041 5Mpix 4CH/IP9CH + Ton	48Mbps	4K-N@8fps 5MN/@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimac 4 kanala za AHD,TVI,CVI,CVBS i IP kamere, Snimanje 4K-N@8fps, 5M-N/@10fps, 5m@6fps, 4M-N/@15fps, 4m@8fps,3M-N/@18fps/ 3M@9fps2M/@15fps; IP maksimalno 9 kamera/30fps Snimanje u 8Mpix/6Mpix/5Mpix/4Mpix/3Mpix/ 2Mpix/1Mpix Ulazni bitrate do 80Mbit/sec, 4 audio ulaza, 1 audio izlaz kompresija H265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS(BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	99€

 EL-235041 8Mpix 4k 4CH/IP16CH	80Mbps	4K-N@8fps 5MN/@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimac 4 kanala za AHD,TVI,CVI,CVBS i IP kamere, Snimanje AHD/TVI u 8Mpix/8fps,5M/12fps/4Mpix/15fps, 3Mpix/18fps, 2Mpix,1Mpix,960H/25fps; IP: maksimalno 16 kamera/30fps;Snimanje u 8Mpix/6Mpix/5Mpix/4Mpix/3Mpix/2Mpix/1Mpix.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	120€
 EL-245081 5Mpix 8CH/IP16CH + Ton	80Mbps	5M-N/@8fps 2M-N/@18fps	5 u 1 XVR snimac 8 kanala za AHD,TVI,CVI,CVBS i IP kamere,Prikazuje sve rezolucije do 5 Mpix Snimanje 5M- N/@6fps/4M-N/@8fps/3M-N/@10fps/2M-N/@15fps; IPC Only:16CH;Default 1CH,Max 5Mpix ; 2 audio ulaza, 1 audio izlaz ; kompresija H265/H264; video izlazi : HDMI , VGA; 1 x SATA HDD do 6 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID);AI menagement/Face comparison:1CH	80€
 EL-265081 8Mpix 4k 8CH/IP32CH	160Mbps	4K-N@8fps 5MN/@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimac 8 kanala za AHD,TVI,CVI,CVBS i IP kamere,Snimanje AHD/TVI/CVI:4K-N@8fps,5MN@10fps,5M@6fps,4M-N@15fps,4M@8fps,3M-N@18fps,3M@9fps,2M@15fps; IP: maksimalno 32 kamera/30fps; Snimanje u 8Mpix/6Mpix/5Mpix/4Mpix/3Mpix/2Mpix/1Mpix.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H.265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	140€
 EL-275081 8Mpix 4k 8CH/IP32CH + Ton	160Mbps	4K-N@8fps 5MN/@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimac 8 kanala za AHD,TVI,CVI,CVBS i IP kamere,Snimanje AHD/TVI/CVI:4K-N@8fps,5MN@10fps,5M@6fps,4M-N@15fps,4M@8fps,3M-N@18fps,3M@9fps,2M@15fps; IP: maksimalno 32 kamera/30fps; Snimanje u 8Mpix/6Mpix/5Mpix/4Mpix/3Mpix/2Mpix/1Mpix.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H.265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	140€
 EL-245161 5Mpix 16CH/IP16CH + Ton	80Mbps	5M-N/@8fps 2M-N/@18fps	5 u 1 XVR snimac 16 kanala za AHD,TVI,CVI,CVBS i IP kamere,Prikazuje sve rezolucije do 5 Mpix Snimanje 5M- N/@6fps/4M-N/@8fps/3M-N/@10fps/2M-N/@15fps; IPC Only:16CH;Default 1CH,Max 5Mpix ; 2 audio ulaza, 1 audio izlaz ; kompresija H265/H264; video izlazi : HDMI , VGA; 1 x SATA HDD do 6 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID);AI menagement/Face comparison:1CH	150€
 EL-275161 8Mpix 4k 16CH/IP32CH + Ton	160Mbps	4K-N@8fps 5MN/@10fps 5M@6fps 2M@15fps	5 u 1 XVR snimac 16 kanala za AHD,TVI,CVI,CVBS i IP kamere,Snimanje AHD/TVI/CVI:4K-N@8fps,5MN@10fps,5M@6fps,4M-N@15fps,4M@8fps,3M-N@18fps,3M@9fps,2M@15fps; IP: maksimalno 32 kamera/30fps; Snimanje u 8Mpix/6Mpix/5Mpix/4Mpix/3Mpix/2Mpix/1Mpix.Ulazni bitrate do 80Mbit/sec; 4 audio ulaza, 1 audio izlaz ; kompresija H.265/H264+/H264; video izlazi : HDMI 4K, VGA, CVBS (BNC); 1 x SATA HDD do 8 TB, metalno kuciste. Cloud technology, CMS, mobilna aplikacija FreeIP,Bit Vision,(IOS, ANDROID)	220€

PoE SVIČEVI

	HT412 SWITCH WITH 4-PORT POE	◆ 6-PORT 10/100M SWITCH WITH 4-PORT POE ◆ IEEE 802.3af, IEEE 802.3at, PoE Power Output: Total 60Watts, Support EXTEND Mode ◆ Surge Protection: Common-mode Voltage 4KV, Differentialmode Voltage 2KV ◆ Power Input: AC100V~240V ◆ Weight: 1.1Kgs	49€
	HT812 SWITCH WITH 8-PORT POE	◆ 8-PORT 10/100M + 2-PORT 10/100/1000M, SWITCH WITH 8-PORT POE ◆ IEEE 802.3af, IEEE 802.3at, Support EXTEND Mode ◆ PoE Power Output: Total 120Watts ◆ Power Input: AC100V~240V ◆ Weight: 1.1Kgs	79€
	HT1612 SWITCH WITH 16-PORT POE	◆ 16-PORT 10/100M + 2-PORT 10/100/1000M, SWITCH WITH 16-PORT POE With 2 x Fan ◆ IEEE802.3af, IEEE802.3at, Support EXTEND Mode ◆ Power Adaptor: AC100V~240V ◆ PoE Budget: 240Watts	149€

NVR SNIMAČI

FOTOGRAFIJA I OZNAKA	OPSEG PROTOKA	PoE input	OPIS	VP CENA SA PDV-om
 EL-308091 8Mpix 4K IP 9CH	80Mbps	/	IP Camera Input: 9CH (3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc). Incoming Bandwidth: 80Mb. Recording Resolution: 8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time). HD Output : 4K (3840x2160)/1920x1080/1280x1024/1280x720 VGA Output: 1920x1080/1280x1024/1280x720. 1 CH Audio In/ 1 CH Audio Out. 1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB) Backup: 2xUSB2.0 .	75€
 EL-458041 8Mpix 4K IP 9CH/4PoE	72Mbps	4CH POE INPUT	IP Camera Input: 9CH(8MP/6MP/5MP/4MP/3MP/1080p/1280x1024/960p/720p/D1/CIF); Incoming Bandwidth: 72Mbps; Recording Resolution: 4k(3840x2160), 5MP(2592x1944), 4MP(2688x1520/2560x1440), 3MP(2048x1536), 1080P(1920x1080), 960P(1280x960), 720P(1280x720), D1 (720x576/720x480); HD Output : 4K (1920x1080/1280x1024/1280x720/1024x768); Interface Type: 1 SATA Hard Disk Interface (3.5" SATA); Up to 8TB capacity; 2 USB 2.0 Interfaces	85€

 EL-458081 8Mpix 4K IP 16CH/8PoE	100Mbps	8CH POE INPUT	IP Camera Input: 16CH (3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc).Incoming Bandwidth:100Mb.Recording Resolution: 8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time).HD Output 4K (3840x2160) /1920x1080/ 1280x1024/1280x720 VGA Output: 1920x1080/1280x1024/1280x720.1 CH Audio In/ 1 CH Audio Out.4CH alarm IN/OUT.1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB)Backup:2xUSB2.0	150€
 EL-308161 8Mpix 4K IP 16CH	100Mbps	/	IP Camera Input: 16CH (3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc).Incoming Bandwidth:100Mb.Recording Resolution: 8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time).HD Output 4K (3840x2160) /1920x1080/ 1280x1024/1280x720 VGA Output: 1920x1080/1280x1024/1280x720.1 CH Audio In/ 1 CH Audio Out.4CH alarm IN/OUT.1 SATA Hard Disk Interface (2.5"/3.5" SATA, Up to 8TB)Backup: 2xUSB2.0 .	95€
 EL-355252 5Mpix IP 25CH	120Mbps	/	25-kanalni mrežni rekorder. - 2x 4TB SATA. - Linux OS. H.264 kompresija, Snima 9CH*5Mpix ili 25CH*4Mpix/3Mpix/2Mpix/1.3Mpix/1Mpix Istovremena reprodukcija za 1 kameru u 5M-Lokalni izlazi za monitor VGA; HDMI .Audio out: 1CH RCA port - USB, CMS (Central Management Software) , ugrađen3GP server – podrška za mobilni telefon/I-Phone, - ugrađen WEB server. -kontrola mišem i ručna.	130€
 EL-458161 8Mpix IP 25 CH /16 PoE	120Mbps	16CH POE INPUT	IP Camera Input: 25CH (8MP/6MP/5MP/4MP/3MP/2MP/1MP, etc);POE: 16 x Independent 100Mbps PoE Network Interfaces (Total Power Output≥200W);Income Bandwidth: 120Mb;Recording Resolution: 4K/5M/4M/3M/1080P/960P/720p, etc (All Real Time);Playback Resolution: 1CH@4K/4CH@1080P;HD Output/VGA Output: 4K (3840x2160)/ 1920x1080/1280x1024/1280x720;Audio 1CH In/1CH Out, Alarm 4CH In/1CH Out;Support network cable extended mode Max. 250M;1 SATA Hard DiskInterface (2.5"/3.5" SATA, Up to 8TB); Backup: 2xUSB2.0	199€
 EL-312362 12Mpix IP 36CH	300Mbps	/	IP Camera Input: 36CH (4000x3000, 3840x2160, 2592x1944, 2048x1536, 1920x1080, 1280x960, 1280x720, etc);Incoming Bandwidth: 300Mb;Recording Resolution: 12M/8M/5M/4M/3M/1080P/960P/720p, etc (All Real Time);Playback Resolution: 3CH@12MP/ 4CH@8MP;HD Output/VGA Output: 4K (3840x2160)/ 1920x1080/1280x1024/1280x720;Backup: 1xUSB2.0 & 1xUSB3.0;2 SATA Hard Disk Interface (3.5" SATA, Up to 12TB)	220€
 EL-355364 5Mpix IP 36CH	120Mbps	/	36-kanalni mrežni rekorder. - 4x 4TB SATA. – Linux OS. H.264 kompresija, Snima 9CH*5Mpix ili 36CH*4Mpix/3Mpix/2Mpix/1.3Mpix/1MpixIstovremena reprodukcija za 1 kameru u 5Mpix/4Mpix ili za 4 kamere u 3Mpix/2Mpix/1.3Mpix/1Mpix. Lokalni izlazi za monitor VGA; HDMI . Audio out: 1CH RCA port - USB, ugrađen WEB server. -kontrola mišem i ručna.	180€

 EL-312648 12Mpix IP 64CH	300Mbps	/	IP Camera Input: 64CH (4096×2160, 2592×1944, 2048×1536, 1920×1080, 1280×960, 1280×720, etc); Incoming Bandwidth: 300Mb; Alarm Input/Output: 16CH In/4CH Out; Recording Resolution: 12M/8M/5M/4M/3M/1080P/960P/720P, etc (All Real Time); Playback Resolution: 4CH@4K ; HD Output 1: 4K (3840 ×2160)/1920×1080/1280×1024/1280×720/1024×768 HD Output 2/VGA Output: 1920×1080/ 1280×1024/1280 ×720/1024×768; Backup: 2xUSB2.0 & 1xUSB3.0 & 1xESATA; 8 SATA Hard Disk Interface (3.5" SATA, Up to 48TB)	399€
--	----------------	----------	---	--------------------

DODATNA OPREMA I KABLOVI

FOTOGRAFIJA	KRATAK OPIS	VP CENA SA PDV-om
	UTP CAT 5E kabl 4P*2*0.5mm, CCA, 305M/kotur, Testirano na 250 m sa video balunima i 100m IP kamere bez degradacije slike	29rsd/m
	UTP CAT6 kabl 4P*2*0.56mm, CCA, 305M/kotur, Testirano na 250 m sa video balunima i 100m IP kamere bez degradacije slike	39rsd/m
	SFTP CAT6E kabl 4P*2*0.52mm, 100% Bakar, Al folija+96/0.12mm AIMrezića Plavi PVC omotac , 305M/kotur	99rsd/m
	KOAXIAL RG59 Kabl CCA, Crni PVC omotac , 305M /Drveni kotur; Testiran na 305m HD kamere od 0 do 5% degradacije slike. Na 250m bez degradacije slike.	45rsd/m
	KOAXIAL RG6 Kabl CCA, Crni PVC omotac , 305M /Drveni kotur; Testiran na 305m HD kamere od 0 do 5% degradacije slike. Na 250m bez degradacije slike.	55rsd/m
	KOAXIAL RG59+2x0.75 napojni kabl CCA, Crni PVC omotac, 305m/Drveni kotur. Domet do 250m bez degradacije slike zavisno od vrste napajanja .	85rsd/m

	Alarmni kabl, nesirmovan 4 zice*7/0.2mm CCA , Beli PVCmotac , 100m kotur	39rsd/m
	Audio kabl 2C*0.75mm ² ,CCA ,100m kotur	49rsd/m
	Audio kabl (Silikonski Providni)2C*1.5mm ² ,CCA, 100m kotur	70rsd/m
	AC/DC adapter 12V - 2A AC/DC adapter 12V - 5A	10€ 20€
	AC/DC napajanje 12V - 5A AC/DC napajanje 12V -10A AC/DC napajanje 12V -15A AC/DC napajanje 12V -20A AC/DC napajanje 12V - 25A AC/DC napajanje 5V - 40A	20€ 30€ 30€ 40€ 50€ 40€
	Konektor BNC	120rsd/kom
	Konektor Pigtail STK	120rsd/kom
	AC/DC napajanje 12 -10A 9 izlaza za kamere do 1000mA	55€